


<input type="checkbox"/> 噻硫磷 (0.01)	<input type="checkbox"/> 啶螨醚 (0.05)	<input type="checkbox"/> 啶啉磷 (0.01)	<input type="checkbox"/> 啶菌环胺 (0.01)	<input type="checkbox"/> 四氟醚唑 (0.01)	<input type="checkbox"/> 四氯硝基苯 (0.01)
<input type="checkbox"/> 地虫硫磷 (0.05)	<input type="checkbox"/> 增效醚 (0.01)	<input type="checkbox"/> 多效唑 (0.01)	<input type="checkbox"/> 对硫磷 (0.01)	<input type="checkbox"/> 庚烯磷 (0.01)	<input type="checkbox"/> 异柳磷 (0.01)
<input type="checkbox"/> 拜菌脲 (0.01)	<input type="checkbox"/> 戊菌唑 (0.01)	<input type="checkbox"/> 扑草净 (0.01)	<input type="checkbox"/> 敌藻磷 (0.05)	<input type="checkbox"/> 敌草索(氯醚酸甲酯) (0.01)	<input type="checkbox"/> 敌草胺(赛丙胺) (0.01)
<input type="checkbox"/> 杀虫畏 (0.01)	<input type="checkbox"/> 杀螟威(毒虫畏) (0.01)	<input type="checkbox"/> 杀螟硫磷 (0.01)	<input type="checkbox"/> 杀螟腈 (0.01)	<input type="checkbox"/> 林丹 (γ-六六六) (0.01)	<input type="checkbox"/> 毒死蜱 (0.01)
<input type="checkbox"/> 毒草安 (0.05)	<input type="checkbox"/> 氟乐灵 (0.01)	<input type="checkbox"/> 氟氯氰菊酯 (0.05)	<input type="checkbox"/> 氟氯戊菊酯 (0.01)	<input type="checkbox"/> 氟硅唑 (0.01)	<input type="checkbox"/> 氟胺氰菊酯 (0.05)
<input type="checkbox"/> 氟草胺(乙丁氟灵) (0.01)	<input type="checkbox"/> 氟丹(顺,反-氟丹之和) ()	<input type="checkbox"/> 氟唑磷 (0.05)	<input type="checkbox"/> 氟氯氰菊酯和高效氯氟氰菊酯 (0.05)	<input type="checkbox"/> 氯氰菊酯 (0.05)	<input type="checkbox"/> 氯硝胺 (0.05)
<input type="checkbox"/> 氯苯啶啉醇 (0.01)	<input type="checkbox"/> 氯菊酯 (0.01)	<input type="checkbox"/> 氟戊菊酯 (0.01)	<input type="checkbox"/> 水胺硫磷 (0.01)	<input type="checkbox"/> 溴氰菊酯 (0.05)	<input type="checkbox"/> 溴虫腈(虫螨腈) (0.05)
<input type="checkbox"/> 溴硝醇 (0.01)	<input type="checkbox"/> 滴滴涕 (总量) ()	<input type="checkbox"/> 灭线磷 (0.01)	<input type="checkbox"/> 灭蚊灵 (0.01)	<input type="checkbox"/> 炔苯酰草胺 (0.01)	<input type="checkbox"/> 特丁硫磷 (0.01)
<input type="checkbox"/> 狄氏剂 (0.01)	<input type="checkbox"/> 环丙唑醇 (0.01)	<input type="checkbox"/> 甲基啶啉磷 (0.01)	<input type="checkbox"/> 甲基对硫磷 (0.01)	<input type="checkbox"/> 甲基异柳磷 (0.01)	<input type="checkbox"/> 甲基毒死蜱 (0.01)
<input type="checkbox"/> 甲基立枯磷 (0.01)	<input type="checkbox"/> 甲拌磷 (0.01)	<input type="checkbox"/> 甲拌磷 总量 ()	<input type="checkbox"/> 甲氧氯(甲氧滴滴涕) (0.01)	<input type="checkbox"/> 甲氰菊酯 (0.01)	<input type="checkbox"/> 甲草胺 (0.01)
<input type="checkbox"/> 硫丹 总量 ()	<input type="checkbox"/> 硫丹硫酸酯 (0.05)	<input type="checkbox"/> 硫线磷 (0.01)	<input type="checkbox"/> 稻丰散 (0.01)	<input type="checkbox"/> 联苯 (0.01)	<input type="checkbox"/> 联苯菊酯 (0.01)
<input type="checkbox"/> 噻菌唑 (0.01)	<input type="checkbox"/> 腐霉利 (0.01)	<input type="checkbox"/> 艾氏剂 (0.01)	<input type="checkbox"/> 艾氏剂/狄氏剂(总量) ()	<input type="checkbox"/> 苯硫磷 (0.01)	<input type="checkbox"/> 苯胺灵 (0.01)
<input type="checkbox"/> 苯氧灵 (0.01)	<input type="checkbox"/> 草毒死 (0.01)	<input type="checkbox"/> 莠灭净 (0.01)	<input type="checkbox"/> 解草酮 (0.01)	<input type="checkbox"/> 邻苯基苯酚 (0.05)	<input type="checkbox"/> 敌菌酯 (0.01)
<input type="checkbox"/> 醚菊酯 (0.01)	<input type="checkbox"/> 顺式氯丹 (0.01)	<input type="checkbox"/> 顺式环氧七氯 (0.01)			

签名


 Lisa Zhang
 授权签字人

注释

未检出表示结果小于检出限

LOQ: 定量限 △在CNAS认可范围内 □在CMA认可范围内

<LOQ: 小于定量限 带☆的检测项目是分包给欧陆分析集团内的实验室检测

N/A 表示不适用 带◎的检测项目是分包给欧陆分析集团外的实验室检测

总量结果由分量组分的定量值计算得出

报告上如未体现不确定度是基于方法已经包含了测量不确定度或客户明确要求。

样品名称和样品信息由客户提供及确认，本公司不负责证实客户提供的信息的准确性、关联性、适当性和（或）完整性。

本报告结果仅对受检样品负责。

未经本公司事先书面许可，客户和任何第三人不得节选或删改本报告。使用人应完整使用本报告。

未经我公司书面批准，不得擅自使用检测结果及证书进行不当宣传。

本报告适用于欧陆分析服务通用条款

谨代表 欧陆分析检测技术服务（青岛）有限公司

报告结束





中国认可
国际互认
检测
TESTING
CNAS L10449

Analytical Report

Sample Code	128-2024-00031010	Report date	11-Apr-2024
Certificate No.	AR-24-VV-028593-01-EN		



Zhucheng Haotian Pharm Co., Ltd.

Xinxing Town,Zhucheng City,Shandong Pro.CHINA

Sample Code:	128-2024-00031010		
Client Sample Code:	批号202404502 生产日期2024.04.01		
Sample described as:	Inositol		
Sample Packaging:	Sealed plastic bag		
Analysis Type:	Consignment Testing		
Sample reception date:	08-Apr-2024		
Analysis Starting Date:	08-Apr-2024		
Analysis Ending Date:	11-Apr-2024		
Arrival Temperature (°C)	21.8	Sample Weight	145g
Sample Type	Solid		

	Results	Unit	LOQ	LOD
VV1BX Pesticide Screening(LC) Method: BS EN 15662:2018				
Screened pesticides	<LOQ	mg/kg		
VV1DX Pesticide Screening(GC) Method: BS EN 15662:2018				
Screened pesticides	<LOQ	mg/kg		

List of screened molecules

VV1BX Pesticide Screening(LC) (144 parameters)(LOQ* mg/kg)			
△ 3-Hydroxycarbofuran (0.01)	△ Abamectin (Sum) (0.05)	△ Acephate (0.01)	△ Acetamidiprid (0.01)
△ Aldicarb (sum) ()	△ Aldicarb-sulfone (0.01)	△ Aldicarb-sulfoxide (0.01)	△ ARAMITE (0.05)
△ Azoxystrobin (0.01)	△ Bendiocarb (0.01)	△ Benfuracarb (0.01)	△ Bensulfuron methyl (0.01)
△ Bitertanol (0.01)	△ Boscalid (0.01)	△ Bupirimate (0.01)	△ Buprofezin (0.01)
△ Carbofuran (0.002)	△ Carbofuran (sum) ()	△ Carbosulfan (0.01)	△ Carfentrazone-ethyl (0.01)
△ Chlorobenzuron (0.01)	△ Chromafenozide (0.01)	△ Clofentezine (0.01)	△ Clothianidin (0.01)
△ Cymoxanil (0.05)	△ Cyromazine (0.05)	△ Demeton-S-methyl (0.05)	△ Demeton-S-methyl-sulfone (0.01)
△ Difenconazole (0.01)	△ Diflufenzuron (0.05)	△ Diflufenican (0.01)	△ Dimethoate (0.01)
△ Diphenamid (0.01)	△ Emamectin, benzoate- (0.01)	△ Epoxiconazole (0.01)	△ Ethiofencarb (0.01)
△ Fenhexamid (0.01)	△ Fenobucarb (0.01)	△ Fenoxycarb (0.01)	△ Fenpyroximate (0.01)
△ Fluzazifop-P-butyl (0.01)	△ Fludioxonil (0.05)	△ Flufenoxuron (0.01)	△ Formetanate hydrochloride (0.01)
△ Hexythiazox (any ratio of constituent isomers) (0.01)	△ Imazalil (any ratio of constituent isomers) (0.01)	△ Imidacloprid (0.01)	△ Indoxacarb (sum, R+S isomers) (0.01)
△ Isoprocarb (0.01)	△ Isoproturon (0.01)	△ Isoproturon (0.01)	△ Kresoxim-methyl (0.05)
△ Malaoxon (0.01)	△ Malathion (0.01)	△ Malathion/Malaoxon (sum as expressed Malathion) ()	△ Metalaxyl (0.01)
△ Methidathion (0.01)	△ Methiocarb (0.01)	△ Methomyl (0.01)	△ Methoxyfenozide (0.01)
△ Monocrotophos (0.01)	△ Neburon (0.01)	△ Nicosulfuron (0.01)	△ Omethoate (0.01)
△ Oxydemeton-methyl (0.01)	△ Oxydemeton-methyl (sum) ()	△ Paraoxon-methyl (0.01)	△ Phorate-sulfone (0.01)
△ Phosmet (0.01)	△ Phosphamidon (0.01)	△ Phoxim (0.01)	△ Pirimicarb (0.01)
△ Propamocarb (Sum of propamocarb and its salts, exp (0.01)	△ Propanil (0.01)	△ Propargite (0.01)	△ Propoxur (0.01)
△ Pyridaben (0.01)	△ Pyridaphenthion (0.01)	△ Pyrifoxox (0.05)	△ Pyrimethanil (0.01)
△ Quinalofop ethyl (0.01)	△ Simazine (0.01)	△ Spinosyn A (0.01)	△ Spinosyn D (0.01)
△ Tebufenozide (0.01)	△ Tebufenpyrad (0.05)	△ Thiabendazole (0.01)	△ Thiacloprid (0.01)
△ Thiodicarb (0.01)	△ Thiofanox-sulfone (0.01)	△ Thiophanate-methyl (0.01)	△ Triadimenol (0.01)
△ Tricyclazole (0.01)	△ Tridemorph (0.05)	△ Trifluridazole (0.01)	△ Triflurosulfuron-methyl (0.01)
△ 2,4-Dichlorobenzophenone (0.01)	△ 2-Phenylphenol (0.05)	△ Alachlor (0.01)	△ Aldrin (0.01)
△ Ametryn (0.01)	△ Benalaxyl including other mixtures of constituent (0.01)	△ Benfluralin (0.01)	△ Benoxacor (0.01)
			△ Aldrin/ Dieldrin (Sum) ()
			△ Bifenthrin (0.01)
			△ Allidochlor (0.01)
			△ Biphenyl (0.01)

Eurofins Technology Service (Qingdao) Co., Ltd.
Building A2, Life Medical Device Innovation Park,
No.7, Fenglong Road, High Tech Zone, Qingdao, Shandong,
China




Phone +86 400 076 1880
www.eurofins.cn



Scan QR code to view report

△ Bromopropylate (0.01)	△ Butachlor (0.05)	△ Cadusafos (0.01)	△ Chlordane(Sum of cis, trans-Chlordane) ()	△ Chlordane, cis- (0.01)	△ Chlordane, trans- (0.01)
△ Chlorfenapyr (0.05)	△ Chlorfenvinphos (0.01)	△ Chlorpyrifos (-ethyl) (0.01)	△ Chlorpyrifos-methyl (0.01)	△ Chlorthal-dimethyl (0.01)	△ Cyanophos (0.01)
△ Cyfluthrin (0.05)	△ Cyhalothrin, lambda-(incl. Cyhalothrin, gamma-) (0.05)	△ Cypermethrin (sum of isomers) (0.05)	△ Cyproconazole (0.01)	△ Cyprodinil (0.01)	△ DDD, p,p'- (0.01)
△ DDE, p,p'- (0.01)	△ DDT (sum) ()	△ DDT, o,p'- (0.01)	△ DDT, p,p'- (0.01)	△ Deltamethrin (0.05)	△ Diazinon (0.01)
△ Dichlorobenzophenone, p,p'- (0.01)	△ Dicloran (0.05)	△ Dicofol (sum) ()	△ Dicofol, o,p- (0.01)	△ Dicofol, p,p- (0.01)	△ Dieldrin (0.01)
△ Diphenylamine (0.05)	△ Edifenphos (0.05)	△ Endosulfan (Sum) ()	△ Endosulfan sulphate (0.05)	△ Endosulfan, alpha- (0.05)	△ Endosulfan, beta- (0.05)
△ EPN (0.01)	△ Ethion (0.01)	△ Ethrophos (0.01)	△ Etofenprox (0.01)	△ Etrifmos (0.01)	△ Fenarimol (0.01)
△ Fenazaquin (0.05)	△ Fenitrothion (0.01)	△ Fenpropathrin (0.01)	△ Fenpropimorph (0.01)	△ Fenthion (0.01)	△ Fenvalerate (0.01)
△ Flucythrinate (0.01)	△ Flusilazole (0.01)	△ Fluralinate (sum of isomers) (0.05)	△ Fonofos (0.05)	△ HCH (sum of α, β, γ, δ-HCH) ()	△ HCH, alpha- (0.01)
△ HCH, beta- (0.01)	△ HCH, delta- (0.01)	△ Heptachlor (0.01)	△ Heptachlor (sum) ()	△ Heptachlor epoxide, cis- (0.01)	△ Heptachlor epoxide, trans- (0.01)
△ Heptenophos (0.01)	△ Hexachlorobenzene (HCB) (0.01)	△ Iprodione (0.01)	△ Isazofos (0.05)	△ Isocarbafos (0.01)	△ Isofenphos (0.01)
△ Isofenphos-methyl (0.01)	△ Lindane (gamma-HCH) (0.01)	△ Methoxychlor (0.01)	△ Mirex (0.01)	△ Myclobutanil (sum of constituent isomers) (0.01)	△ Napropamide (0.01)
△ Nitrothal-isopropyl (0.01)	△ o,p'-DDD (0.01)	△ o,p'-DDE (0.01)	△ Paclolbutrazol (0.01)	△ Parathion (0.01)	△ Parathion-methyl (0.01)
△ Penconazole (sum of constituent isomers) (0.01)	△ Pendimethalin (0.01)	△ Pentachloroaniline (0.01)	△ Permethrin (sum of isomers) (0.01)	△ Phenthoate (0.01)	△ Phorate (0.01)
△ Phorate (sum) ()	△ Piperonyl butoxide (0.01)	△ Pirimiphos-ethyl (0.01)	△ Pirimiphos-methyl (0.01)	△ Procymidone (0.01)	△ Profenofos (0.05)
△ Prometryn (0.01)	△ Propachlor (0.05)	△ Propham (0.01)	△ Propiconazole (sum of isomers) (0.01)	△ Propyzamide (0.01)	△ Pyrazophos (0.01)
△ Quinalphos (0.01)	△ Quintozene (0.01)	△ Quintozene (sum) ()	△ S 421 (0.01)	△ Tecnazene (0.01)	△ Tefluthrin (0.01)
△ Terbufos (0.01)	△ Tetrachlorvinphos (0.01)	△ Tetraconazole (0.01)	△ Tetradifon (0.01)	△ Tolclofos-methyl (0.01)	△ Triadimefon (0.01)
△ Triazophos (0.01)	△ Trifluralin (0.01)	△ Vinclozolin (0.01)			

SIGNATURE



Lisa Zhang
Authorized Signatory

EXPLANATORY NOTE

Not Detected means the result is less than LOD

LOQ: Limit of Quantification

< LOQ: Below Limit of Quantification

N/A means Not applicable

Sum compounds results are calculated from the results of each quantified compound as set by regulation

The uncertainty has not been taken into account for standards that already include measurement uncertainty or on explicit request of client.

The sample description and information are provided by the Client. Eurofins is not responsible for verifying the accuracy, relevancy, adequacy and/or completeness of the information provided by the Client.

The analytical result herein is applicable for the sample(s) tested only.

This analytical report shall not be excerpted or modified without prior written approval from Eurofins. The report shall be utilized in full.

Without the written permission of Eurofins, any party is prohibited from using the test results and the report for publicity or promotions or marketing.

The Eurofins General Terms and Conditions apply to this analytical report.

For and on behalf of Eurofins Technology Service (Qingdao) Co., Ltd.

END OF REPORT

Eurofins Technology Service (Qingdao) Co., Ltd.
Building A2, Lifei Medical Device Innovation Park,
No.7, Fenglong Road, Chengde Town, Qingdao, Shandong,
China



Phone +86 400 076 1880
www.eurofins.cn



Scan QR code to view report

